


# CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# Apparent



# Paraffinic Oil

## ADJUVANT

ACTIVE CONSTITUENT: 582 g/L PARAFFINIC OIL  
120 g/L NONYL PHENOL ETHOXYLATE  
120 g/L ALCOHOL ETHOXYLATE

An adjuvated spraying oil to improve the wetting and spreading of herbicides, insecticides and defoliant on plant surfaces as per the directions for use table



PROUDLY



OWNED



The Choice is Apparent



CONTENTS

20

LITRES

AIRR APPARENT Pty Ltd

15/16 Princes Street, Newport NSW 2106 | M 0411 227 338 | E enquiries@apparentag.com.au | www.apparentag.com.au

### DIRECTIONS FOR USE

Important: Prior to use read all directions on this label and on the label of the companion crop protection product. The product(s) label for specific usage and restrictions have precedence over directions for use referred to on this label.

Apparent Paraffinic Oil Adjuvant is compatible with a wide range of herbicides including:

Atrazine#, Eclipse Herbicide, Grazon DS Herbicide, Fluroxypyr 200 Herbicide, Tordon 75-D Herbicide, Tordon 242 Cereal Herbicide, Clethodim Herbicide, Fusilade WG Herbicide, Haloxyfop, Broadstrike Herbicide, Triclopyr 600 Herbicide, Lontrel 750SG Herbicide, Topik 240EC Selective Herbicide, Fusion WG Herbicide, Targa Herbicide, Achieve Herbicide.

Apparent Paraffinic Oil Adjuvant is compatible with cotton defoliant products such as: Thidiazuron, Ethephon. Apparent Paraffinic Oil Adjuvant is compatible with the insecticides Chlorpyrifos 300, Tracer Naturalyte Insect Control.

# When mixing with Atrazine water dispersible granule formulations, agitation is required.

SITUATION	CRITICAL COMMENTS
Broadacre cropping including fallow (except sugarcane)	Where specified use 500 mL Apparent Paraffinic Oil/100 L, applying a minimum of 250 mL Apparent Paraffinic Oil Adjuvant per hectare.
Sugarcane and cotton defoliation	Where specified use 1 L Apparent Paraffinic Oil/100 L, applying a minimum of 500 mL Apparent Paraffinic Oil Adjuvant per hectare.
Spot and High Volume Spraying	Where specified use 500 mL Apparent Paraffinic Oil/100 L, applying to point of run-off..
Horticulture	Apparent Paraffinic Oil Adjuvant with Haloxyfop Herbicide for horticultural uses. Use 500 mL Apparent Paraffinic Oil/100 L water, applying a minimum of 250 mL Apparent Paraffinic Oil Adjuvant per hectare.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

### WITHHOLDING PERIOD

Adhere to the withholding period(s) specified on the label of the companion product(s) used.

This product is not classified as hazardous according to the Global Harmonization System (GHS) classification.

APVMA Approval No: 67215/55474

Batch No:

Date of Manufacture:

### MIXING

- These are general mixing instructions. Always follow the mixing instructions of each ingredient in the tank mix. Ensure product compatibility. Recommendations on other product labels always take precedence over mixing instructions on this label.
- Add water to the spray tank to 10 cm above the level of agitation and ensure the agitation device is working vigorously. (There must be a minimum of 100 L of water in the tank before any pesticide is added).
- If tank mixing, use the following general order for mixing partners. First add water dispersible granules (eg Eclipse), second add flowable formulations (eg Atrazine), third add emulsifiable concentrates (eg Fluroxypyr 200 EC), fourth add water soluble liquids (eg Clopyralid 300 Herbicide) and last Apparent Paraffinic Oil Adjuvant and other adjuvants.
- Between the addition of each ingredient allow at least one minute to ensure thorough mixing before the new tank-mix partner is added.
- Finally add Apparent Paraffinic Oil. Continue filling the tank to the required volume maintaining agitation at all times.
- Only mix sufficient spray solution for immediate user. Haloxyfop and other tank-mixes should be applied immediately for best results.

### STORAGE OF SPRAY SOLUTION

Agitate for 1 hour every 8 hours, and agitate for 1 hour before spraying out where spray solution is not applied within 8 hours of mixing.

### CLEANING SPRAY EQUIPMENT

The presence of the product(s) makes it essential for the spray equipment to be thoroughly cleaned between different applications.

To rinse and decontaminate spray equipment refer to the relevant product labels for instructions.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

Do not contaminate streams, rivers or waterways with the chemical or used container.

### STORAGE AND DISPOSAL

#### PRECAUTION

EXPLOSION WARNING: Apparently "empty" containers may contain liquid and/or vapour which can be explosive if exposed to an ignition source at temperatures above 90°C. Such conditions may occur during cutting or welding. DO NOT cut or weld these containers. Explosion may cause injury or death.

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

DO NOT store near food, feedstuffs, fertiliser or seed. DO NOT re-use 5 L, 20 L, 110 L containers.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

**For 110 L containers -:** Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

### SMALL SPILL MANAGEMENT

Wear appropriate clothing whilst cleaning up small spills. Apply absorbent material such as earth, cat litter, sand or clay granules to the spill. Sweep up material for disposal when absorption is complete. Dispose of the contaminated material in accordance with local or State recommendations.

### SAFETY DIRECTIONS

Avoid inhalation or skin contact of spray mist. WHEN USING WITH ANOTHER CHEMICAL CONSULT THE SAFETY DIRECTIONS OF THE COMPANION PRODUCT.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

### SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which is available from the supplier.

### CONDITION OF SALE

The use of Apparent Paraffinic Oil Adjuvant being beyond the control of the manufacturer no warranty expressed or implied is given by AIRR Apparent Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and AIRR Apparent Pty Ltd accepts with no responsibility for any consequences whatsoever resulting from the use of this product.



Scan QR code to view booklet on mobile device  
072