

IVOMEC® ANTIPARASITIC INJECTION FOR CATTLE

Version 5 Issue Date: 27 April 2021 Page 1 of 7

Section 1 - Identification of the Material and Supplier

Product name:	IVOMEC® ANTIPARASITIC INJECTION FOR CATTLE		
APVMA Code:	46570		
Recommended Use:	For the treatment and control of gastrointestinal roundworms, eyeworms, lungworms, lice, ticks, and mites in cattle.		
Supplier name:	Boehringer Ingelheim Animal Health Australia Pty. Ltd.		
Address:	Level 1		
	78 Waterloo Road		
	North Ryde NSW 2113 AUSTRALIA		
Telephone number (toll-free):	1800 808 691		
All hours emergency phone number - Poisons Information Centre 131126 anywhere in Australia			
Chemical nature:	Ivermectin in a suitable medium for injection.		
This version issued:	April, 2021 and is valid for 5 years from this date.		
Poisons Information Centre: Phone 13 1126 from anywhere in Australia			

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Xi, Irritating. T, Toxic. N, Dangerous to the environment. Hazardous according to the criteria of SWA.

Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

SUSMP Classification: S5

ADG Classification: Class 6.1: Toxic substances. **UN Number:** 2902, PESTICIDE, LIQUID, TOXIC, N.O.S.





GHS Signal word: DANGER

Flammable liquids Category 4 Acute Toxicity Oral Category 3 Acute Toxicity Dermal Category 4 Skin Corrosion /Irritation Category 2 Serious eye damage/eye irritation Category 2B Acute Toxicity Inhalation Category 4 Reproductive Toxicity Category 1 Reproductive Toxicity - Effect via lactation Hazardous to aquatic environment Short term/Acute Category 1

HAZARD STATEMENT:

H227: Combustible liquid.

- H301: Toxic if swallowed.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H320: Causes eye irritation.
- H332: Harmful if inhaled.
- H360: May damage fertility or the unborn child.
- H362: May cause harm to breast-fed children.
- H400: Very toxic to aquatic life.

PREVENTION

P102: Keep out of reach of children.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

SAFETY DATA SHEET

Issued by: Boehringer Ingelheim Animal Health Australia Pty. Ltd.

Phone: 1800 808 691 (office hours)



IVOMEC® ANTIPARASITIC INJECTION FOR CATTLE

Version 5 Issue Date: **28 April, 2021** Page 2 of 7

P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261: Avoid breathing fumes, mists, vapours or spray.

P262: Do not get in eyes, on skin, or on clothing.

P263: Avoid contact during pregnancy or while nursing.

P264: Wash contacted areas thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well ventilated area.

P273: Avoid release to the environment.

P281: Use personal protective equipment as required.

RESPONSE

P312: Call a POISON CENTRE or doctor if you feel unwell.

P362: Take off contaminated clothing and wash before reuse.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: If exposed or concerned: Get medical advice.

P332+P313: If skin irritation occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

P391: Collect spillage.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

STORAGE

P410: Protect from sunlight.

P411: Store at temperatures not exceeding 30°C.

P402+P404: Store in a dry place. Store in a closed container.

DISPOSAL

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Emergency Overview

Physical Description & Colour: Colourless to yellow liquid.

Odour: No odour.

Major Health Hazards: toxic if swallowed, may cause harm to unborn children, may cause harm to breastfed babies.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m ³)	STEL (mg/m ³)
Ivermectin	70288-86-7	10g/L	not set	not set
Other non hazardous ingredients	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

SAFETY DATA SHEET

Issued by: Boehringer Ingelheim Animal Health Australia Pty. Ltd. Pho

Phone: 1800 808 691 (office hours)



IVOMEC® ANTIPARASITIC INJECTION FOR CATTLE

Version 5 Issue Date: **28 April, 2021** Page 3 of 7

Self Injection: Accidental self injection may lead to an inflammatory response. Medical advice should be sought on the management of deep injections, particularly those near a joint or associated with bruising. If possible the application of gentle squeezing pressure with absorbent material (e.g. facial tissues) at the injection site will swab up unabsorbed liquid. Strong squeezing of the site should be avoided. The damaged area should be thoroughly cleansed and a topical antiseptic applied. Check your tetanus immunisation status.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. **Skin Contact:** Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

Eye Contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 15 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, do NOT induce vomiting; rinse mouth thoroughly with water and contact a Poisons Information Centre, or call a doctor at once. Give activated charcoal if instructed.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids.

Fire decomposition products from this product are likely to be irritating if inhaled.

Extinguishing Media: Water fog or fine spray is the preferred medium for large fires. Try to contain spills, minimise spillage entering drains or water courses.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is liquid-tight chemical protective clothing and breathing apparatus.

Flash point:	81°C
Upper Flammability Limit:	No data.
Lower Flammability Limit:	No data.
Autoignition temperature:	No data.
Flammability Class:	Flammable Category 4 (GHS), C1 combustible (AS 1940)

Section 6 - Accidental Release Measures

Accidental release: This product is sold in small packages, and the accidental release from one of these is not usually a cause for concern. For minor spills, refer to product label for specific instructions. No special protective clothing is normally necessary because of this product. However it is good practice to wear latex gloves when handling injectables. In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Note that this product is GHS Flammable Class 4 and therefore, for Storage, meets the definition of Dangerous Goods. If you store large quantities (tonnes) of such products, we suggest that you consult your state's Dangerous Goods authority in order to clarify your obligations regarding their storage.

Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in

SAFETY DATA SHEET

Issued by: Boehringer Ingelheim Animal Health Australia Pty. Ltd.

Phone: 1800 808 691 (office hours)



IVOMEC® ANTIPARASITIC INJECTION FOR CATTLE

Version 5 Issue Date: **28 April, 2021** Page 4 of 7

Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits TWA (mg/m³)

STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Ivermectin is set at 0.001mg/kg/day. The corresponding NOEL is set at 0.1mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2014.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Ventilation:** No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that vapours and mists are minimised.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

Protective Material Types: We suggest that protective clothing be made from the following materials: PVC. **Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	Colourless to yellow liquid.
Odour:	No odour.
Boiling Point:	192°C at 100kPa
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.
Volatiles:	No specific data. Expected to be low at 100°C.
Vapour Pressure:	No data.
Vapour Density:	No data.
Specific Gravity:	No data.
Water Solubility:	Miscible.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	5.4 (Ivermectin) (log P octanol/water)
Autoignition temp:	No data.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties. **Conditions to Avoid:** Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: oxidising agents.

SAFETY DATA SHEET

Issued by: Boehringer Ingelheim Animal Health Australia Pty. Ltd. Phone: 1800 808 691 (office hours) Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



IVOMEC® ANTIPARASITIC INJECTION FOR CATTLE

Version 5 Issue Date: **28 April, 2021** Page 5 of 7

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death. **Polymerisation:** This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Local Effects: Target Organs:

There is no data to hand indicating any particular target organs.

Ivermectin is a SWA Class 2 Reproductive risk, may cause harm to the unborn child.

Classification of Hazardous Ingredients

Ingredient

Risk Phrases

Ivermectin Ivermectin: LD₅₀ Oral, Rat 5000mg/kg LD₅₀ Dermal, Rabbit = 40000mg/kg >=1%Conc<3%: T; R61; R64; R25 LD₅₀ Dermal, Rat = >66000mg/kg LC₅₀ Inhalation, Rat = 511mg/L/4hr

Additional toxicological information: Ivermectin is believed to bind to glutamate-gated chloride ion channels; avoid drugs that also interact with other ligand-gated chloride channels, including those which enhance GABA activity in patients with potentially toxic Ivermectin exposure. Reproductive toxicant in rabbits and mice. Repro. Cat 2. The following symptoms may occur: Overexposure to Ivermectin may cause dilated pupils, in-coordination, drowsiness, depressed motor activity, slowed breathing, tremors, vomiting, anorexia, muscle tremors, headache and dizziness.

Potential Health Effects

Inhalation:

Short Term Exposure: Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

Long Term Exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short Term Exposure: Available data shows that this product is harmful, but symptoms are not available. In addition product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Long Term Exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short Term Exposure: This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

Long Term Exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. Available data shows that this product is toxic, but further symptoms are not available. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Issued by: Boehringer Ingelheim Animal Health Australia Pty. Ltd.

Section 12 - Ecological Information

This product is very toxic to aquatic organisms. This product is biodegradable. It will not accumulate in the soil or water or cause long term problems.

Environmental fate: Ivermectin photodegrades rapidly in the environment and is metabolized in the soil. Water

SAFETY DATA SHEET

Phone: 1800 808 691 (office hours)



IVOMEC® ANTIPARASITIC INJECTION FOR CATTLE

Version 5 Issue Date: **28 April, 2021** Page 6 of 7

solubility is limited and it binds to soil very tightly. It does not bioconcentrate in fish and is not taken up from soil into plants. Does not bioaccumulate.

TOXICITY TO FISH: TOXICITY TO DAPHNIA: TOXICITY TO ALGA: TOXICITY TO BACTERIA: READY BIODEGRADABILITY: $LC_{50} = 0.3 \ \mu g/L$ - Rainbow Trout - very toxic to fish. EC₅₀ 48 hr = 0.025 $\mu g/L$ (*D. magna*) - very toxic to Daphnia Not available Not available Not available

Section 13 - Disposal Considerations

Disposal: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. Discarded needles should immediately be placed in a designated and appropriately labelled sharps container. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Section 14 - Transport Information

Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

UN Number: 2902, PESTICIDE, LIQUID, TOXIC, N.O.S. Hazchem Code: 2X Special Provisions: 61, 223, 274 Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product. Dangerous Goods Class: Class 6.1: Toxic Substances. Packing Group: III Packing Instruction: P001, IBC03, LP01

Class 6 Toxic Substances shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 3 (Flammable Liquids where the Flammable Liquid is nitromethane), 5.1 (Oxidising Agents where the Toxic Substances are Fire Risk Substances), 5.2 (Organic Peroxides where the Toxic Substances are Fire Risk Substances), 8 (Corrosive Substances where the Toxic Substances are cyanides and the Corrosives are acids), Foodstuffs and foodstuff empties. They may however be loaded in the same vehicle or packed in the same freight container with Classes, 2.1 (Flammable Gases), 2.2 (Non-Flammable, Non-Toxic Gases), 2.3 (Toxic Gases), 3 (Flammable liquids, except where the flammable liquid is nitromethane), 4.1 (Flammable Solids), 4.2 (Spontaneously Combustible Substances), 4.3 (Dangerous When Wet Substances), 5.1 (Oxidising Agents except where the Toxic Substances), 7 (Radioactive Substances), 8 (Corrosive Substances), 8 (Corrosive Substances), 9 (Miscellaneous Dangerous Goods)

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations. The following ingredient: Ivermectin, is mentioned in the SUSMP.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:	
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)
AICS	Australian Inventory of Chemical Substances
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association the trade association for the world's airlines.
IMSBC	Formerly IMDG, the code for carriage of Dangerous Goods by sea freight.

SAFETY DATA SHEET

Issued by: Boehringer Ingelheim Animal Health Australia Pty. Ltd. Phone: 1800 808 691 (office hours)



IVOMEC® ANTIPARASITIC INJECTION FOR CATTLE

Version 5 Issue Date: **28 April, 2021** Page 7 of 7

NOSNot otherwise specifiedNTPNational Toxicology Program (USA)SUSMPStandard for the Uniform Scheduling of Medicines & PoisonsUN NumberUnited Nations Number

SUPPLIER STATEMENT: The product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with legal regulations. The information in this SDS is based on the level of knowledge at the time of preparation and relates to the product in the state in which it is supplied. The information describes the product from the safety point of view and is not intended to guarantee any particular properties and shall not establish a legally valid contractual relationship

Please read SDS and all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (Feb 2016) Copyright © Kilford & Kilford Pty Ltd, April, 2021. http://www.kilford.com.au/ Phone (02)8321 8866